

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7213	(713/155,168-171,181.ccls.   380/44,45,59,277,278,283-285.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 09:51
L2	3262	encrypt\$3 AND decrypt\$3 AND (key   hash\$3) AND (identification   "ID") AND (713/155,168-171,181.ccls.   380/44,45,59,277,278,283-285.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 09:51
L3	2766	access AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND (key   hash\$3) AND (identification   "ID") AND (713/155,168-171,181.ccls.   380/44,45,59,277,278,283-285.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 09:57
L4	1219	server AND client AND user AND access AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND (key   hash\$3) AND (identification   "ID") AND (713/155,168-171,181.ccls.   380/44,45,59,277,278,283-285.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 09:57
L5	263	authentication server AND client AND user AND access AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND (key   hash\$3) AND (identification   "ID") AND (713/155,168-171,181.ccls.   380/44,45,59,277,278,283-285.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 09:57
L6	174	unique AND authentication server AND client AND user AND access AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND (key   hash\$3) AND (identification   "ID") AND (713/155,168-171,181.ccls.   380/44,45,59,277,278,283-285.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 10:46

# EAST Search History

L7	24	unique AND authentication server AND client AND user AND access AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND (key   hash\$3) AND (encrypt\$3 NEAR (identification   "ID")) AND (713/155, 168-171,181.ccls.   380/44,45,59,277,278, 283-285.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 10:47
L8	12	(front\$1end   gateway   proxy   router   border) AND unique AND authentication server AND client AND user AND access AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND (key   hash\$3) AND (encrypt\$3 NEAR (identification   "ID")) AND (713/155, 168-171,181.ccls.   380/44,45,59,277,278, 283-285.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 10:51
L9	13	(front\$1end   gateway   proxy   router   border   endpoint) AND unique AND authentication server AND client AND user AND access AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND (key   hash\$3) AND (encrypt\$3 NEAR (identification   "ID")) AND (713/155,168-171,181.ccls.   380/44, 45,59,277,278,283-285.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 10:51
L10	0	(front\$1end   gateway   proxy   router   border   endpoint) AND unique AND authentication server AND client AND user AND access AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND (((key   hash\$3) AND (encrypt\$3 NEAR (identification   "ID")) NEAR key) AND (713/155,168-171,181.ccls.   380/44,45,59,277,278,283-285.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 11:02
L11	1	(front\$1end   gateway   proxy   router   border   endpoint) AND unique AND authentication server AND client AND user AND access AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND ((key   hash\$3) NEAR (encrypt\$3 NEAR (identification   "ID")) AND (713/155,168-171,181.ccls.   380/44, 45,59,277,278,283-285.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 11:02

## EAST Search History

L12	1	(front\$1end   gateway   proxy   router   border   endpoint) AND authentication server AND client AND user AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND ((key   hash\$3) NEAR (encrypt\$3 NEAR (identification   "ID")))) AND (713/155, 168-171,181.ccls.   380/44,45,59,277,278, 283-285.ccls.) AND (@pd<"20040302"   @ad<"20040302"   @prad<"20040302"   @rlad<"20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 11:03
L13	2	(front\$1end   gateway   proxy   router   border   endpoint) AND authentication server AND client AND user AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND ((key   hash\$3) NEAR (encrypt\$3 NEAR (identification   "ID")))) AND (726/2,3,11, 12,16,17,21,26,27.ccls.   713/155,168-171, 181.ccls.   380/44,45,59,277,278,283-285.ccls.) AND (@pd<"20040302"   @ad<"20040302"   @prad<"20040302"   @rlad<"20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 11:03
L14	57	(front\$1end   gateway   proxy   router   border   endpoint) AND authentication server AND client AND user AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND ((key   hash\$3) WITH (encrypt\$3 WITH (identification   "ID")))) AND (726/2,3,11, 12,16,17,21,26,27.ccls.   713/155,168-171, 181.ccls.   380/44,45,59,277,278,283-285.ccls.) AND (@pd<"20040302"   @ad<"20040302"   @prad<"20040302"   @rlad<"20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 11:04
L15	4	remote access AND (front\$1end   gateway   proxy   router   border   endpoint) AND authentication server AND client AND user AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND ((key   hash\$3) WITH (encrypt\$3 WITH (identification   "ID")))) AND (726/2,3,11, 12,16,17,21,26,27.ccls.   713/155,168-171, 181.ccls.   380/44,45,59,277,278,283-285.ccls.) AND (@pd<"20040302"   @ad<"20040302"   @prad<"20040302"   @rlad<"20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 13:00

## EAST Search History

L16	9	(remote NEAR access) AND (front\$1end   gateway   proxy   router   border   endpoint) AND authentication server AND client AND user AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND ((key   hash\$3) WITH (encrypt\$3 WITH (identification   "ID"))) AND (726/2,3,11,12,16,17,21,26,27.ccls.   713/155,168-171,181.ccls.   380/44,45,59,277,278,283-285.ccls.) AND (@pd<"20040302"   @ad<"20040302"   @prad<"20040302"   @rlad<"20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 13:00
L17	15	(remote NEAR access) AND (front\$1end   gateway   proxy   router   border   endpoint) AND authentication server AND client AND user AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND ((key   hash\$3) WITH (encrypt\$3 WITH (identification   "ID"   unique)) AND (726/2,3,11,12,16,17,21,26,27.ccls.   713/155,168-171,181.ccls.   380/44,45,59,277,278,283-285.ccls.) AND (@pd<"20040302"   @ad<"20040302"   @prad<"20040302"   @rlad<"20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 13:16
L18	6	(remote NEAR access) AND (front\$1end   gateway   proxy   router   border   endpoint) AND authentication server AND client AND user AND (authenticat\$3   authoriz\$5   verif\$7) AND encrypt\$3 AND decrypt\$3 AND ((username AND password) WITH encrypt\$3) AND (726/2,3,11,12,16,17,21,26,27.ccls.   713/155,168-171,181.ccls.   380/44,45,59,277,278,283-285.ccls.) AND (@pd<"20040302"   @ad<"20040302"   @prad<"20040302"   @rlad<"20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/04 13:19
S1	26361	("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 09:49
S2	911	713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:28
S3	26	(proxy OR gateway) AND virtual private network AND authentication AND server AND client AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 11:08

## EAST Search History

S4	27	(proxy OR gateway) AND (virtual private network OR VPN) AND authentication AND server AND client AND 713/168.cds. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 13:32
S5	2	"5671354".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 11:13
S6	2	"5349642".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 12:35
S7	134	(authentication authority OR proxy OR gateway) AND authentication AND server AND client AND 713/168.cds. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 13:36
S8	975	(authentication authority OR proxy OR gateway) AND authentication AND server AND client AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 13:44
S9	116	password AND username AND (encrypt OR encrypted OR encrypting OR encryption) AND address AND (authentication authority OR proxy OR gateway) AND authentication AND server AND client AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 14:56
S10	1	server client authentication AND password AND username AND (encrypt OR encrypted OR encrypting OR encryption) AND address AND (authentication authority OR proxy OR gateway) AND authentication AND server AND client AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:27
S11	0	encrypted username AND encrypted password AND password AND username AND (encrypt OR encrypted OR encrypting OR encryption) AND address AND (authentication authority OR proxy OR gateway) AND authentication AND server AND client AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 14:56

## EAST Search History

S12	102	client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND 713/168.ccls. AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:30
S13	51	(user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND 713/168.ccls. AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:35
S14	50	(store OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND 713/168.ccls. AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:35
S15	50	(store OR stored OR storing OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND 713/168.ccls. AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:36
S16	45	(encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND 713/168.ccls. AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:52
S17	24	(hash OR message digest) AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND 713/168.ccls. AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:55

## EAST Search History

S18	26	(hash OR hashing OR hashed OR message digest) AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND 713/168.ccls. AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:32
S19	156	(hash OR hashing OR hashed OR message digest) AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:33
S20	156	network AND (hash OR hashing OR hashed OR message digest) AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:33
S21	35	authentication server AND network AND (hash OR hashing OR hashed OR message digest) AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:51

## EAST Search History

S22	35	"authentication server" AND network AND (hash OR hashing OR hashed OR message digest) AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:52
S23	71	"authentication server" AND network AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 09:43
S24	44	("authentication server") AND ("LAN" OR "local area network") AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR central authority) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 17:20
S25	53	("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR central authority) AND ("713/168".ccls. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 17:22



## EAST Search History

S26	37	intranet AND ("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR central authority) AND ("713/168".cls. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:07
S27	54	(intranet OR local area network) AND ("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR central authority) AND ("713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:20
S28	49	(intranet OR local area network) AND ("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (gateway OR proxy) AND ("713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:20
S29	54	(intranet OR local area network) AND ("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (gateway OR proxy OR connection server) AND ("713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:21

## EAST Search History

S30	34	(intranet OR local area network) AND ("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (proxy OR connection server) AND ("713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:21
S31	35	(intranet OR local area network) AND ("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND ("user name" OR username) AND client AND server AND password AND (proxy OR connection server) AND ("713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:21
S32	35	(intranet OR local area network) AND ("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND ("user name" OR username) AND client AND password AND (proxy OR connection server) AND ("713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:43
S33	3	proxy server AND separate authentication server AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:50
S34	7	gateway AND separate authentication server AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:51
S35	10	separate authentication server AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:54
S36	144	connection server AND authentication server AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:54

## EAST Search History

S37	134	client AND connection server AND authentication server AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:55
S38	123	address AND client AND connection server AND authentication server AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:55
S39	2	"6253327".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 09:40
S40	56	remote AND "authentication server" AND network AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND ("380".das. OR "713".das. OR "726".das.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 09:43
S41	2	"7233997".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/14 14:57
S42	37	authentication server AND (client   user   terminal) AND network connection AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/02 16:51
S43	56	authentication server AND (client   user   terminal) AND network connection AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/02 17:28
S44	399	authentication server AND (client   user   terminal) AND connection AND (713/153, 168,182,183.ccls.   726/2,3,11,12,16,17, 21.ccls.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:52

## EAST Search History

S45	313	(remote   external) AND authentication server AND (client   user   terminal) AND connection AND (713/153,168,182,183.ccls.   726/2,3,11,12,16,17,21.ccls.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:53
S46	332	(remote   external   outside) AND authentication server AND (client   user   terminal) AND connection AND (713/153,168,182,183.ccls.   726/2,3,11,12,16,17,21.ccls.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:54
S47	85	username AND password AND (remote   external   outside) AND authentication server AND (client   user   terminal) AND connection AND (713/153,168,182,183.ccls.   726/2,3,11,12,16,17,21.ccls.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:54
S48	68	encrypt\$3 AND username AND password AND (remote   external   outside) AND authentication server AND (client   user   terminal) AND connection AND (713/153,168,182,183.ccls.   726/2,3,11,12,16,17,21.ccls.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:54
S49	57	((single\$1sign\$1on   SSO)) AND 726/8.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 12:22
S50	2	"7350229".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 12:24
S51	40	local AND (((single\$1sign\$1on   SSO)) AND 726/8.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 15:20
S52	1417	yoshida.in. AND network AND connection	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 11:05

# EAST Search History

S53	51	yoshida.in. AND network AND connection AND client AND server AND authentication	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 11:06
S54	32	yoshida.in. AND network AND connection AND client AND server AND authentication AND apparatus	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 11:06
S55	24	yoshida.in. AND network AND connection AND client AND server AND authentication AND apparatus AND identification	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 11:07
S56	2878	(prox\$3   front\$1end   gateway\$1   connection   router\$1   border) AND server AND stor\$3 AND client AND (authenticat\$3   authoriz\$5   verif\$7) AND (713/153,155, 168-170,182-184.ccls.   726/2,3,11,12,16, 17,21,26,27.ccls.   380/59.ccls.) AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 16:57
S57	3397	(prox\$3   front\$1end   gateway\$1   connection   router\$1   border) AND server AND stor\$3 AND client AND (authenticat\$3   authoriz\$5   verif\$7) AND (713/153,155, 168-170,182-184.ccls.   726/2,3,11,12,16, 17,21,26,27.ccls.   380/59.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 16:58
S58	2646	address AND network AND (prox\$3   front\$1end   gateway\$1   connection   router\$1   border) AND server AND stor\$3 AND client AND (authenticat\$3   authoriz\$5   verif\$7) AND (713/153,155,168-170, 182-184.ccls.   726/2,3,11,12,16,17,21,26, 27.ccls.   380/59.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 16:59
S59	1747	state\$1 AND (transfer\$4   transmit\$4   send\$3) AND address AND network AND (prox\$3   front\$1end   gateway\$1   connection   router\$1   border) AND server AND stor\$3 AND client AND (authenticat\$3   authoriz\$5   verif\$7) AND (713/153,155, 168-170,182-184.ccls.   726/2,3,11,12,16, 17,21,26,27.ccls.   380/59.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 16:59

## EAST Search History

S60	180	((chang\$3   switch\$3) NEAR (state\$1   wait\$3   permit\$5   deny\$3)) AND (transfer\$4   transmit\$4   send\$3) AND address AND network AND (prox\$3   front\$1end   gateway\$1   connection   router\$1   border) AND server AND stor\$3 AND client AND (authentica\$3   authoriz\$5   verif\$7) AND (713/153,155,168-170, 182-184.ccls.   726/2,3,11,12,16,17,21,26, 27.ccls.   380/59.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 17:03
S61	253	((chang\$3   switch\$3) NEAR (state\$1   wait\$3   permit\$5   deny\$3   allow\$3)) AND (transfer\$4   transmit\$4   send\$3) AND address AND network AND (prox\$3   front\$1end   gateway\$1   connection   router\$1   border) AND server AND stor\$3 AND client AND (authentica\$3   authoriz\$5   verif\$7) AND (713/153,155,168-170, 182-184.ccls.   726/2,3,11,12,16,17,21,26, 27.ccls.   380/59.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 17:03
S62	120	((chang\$3   switch\$3) NEAR state\$1) AND (transfer\$4   transmit\$4   send\$3) AND address AND network AND (prox\$3   front\$1end   gateway\$1   connection   router\$1   border) AND server AND stor\$3 AND client AND (authentica\$3   authoriz\$5   verif\$7) AND (713/153,155,168-170, 182-184.ccls.   726/2,3,11,12,16,17,21,26, 27.ccls.   380/59.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 17:04
S63	9	remote access AND ((chang\$3   switch\$3) NEAR state\$1) AND (transfer\$4   transmit\$4   send\$3) AND address AND network AND (prox\$3   front\$1end   gateway\$1   connection   router\$1   border) AND server AND stor\$3 AND client AND (authentica\$3   authoriz\$5   verif\$7) AND (713/153,155,168-170,182-184.ccls.   726/2,3,11,12,16,17,21,26,27.ccls.   380/59.ccls.) AND (@pd< "20040302"   @ad< "20040302"   @prad< "20040302"   @rlad< "20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 17:09

## EAST Search History

S64	10	(remote access   remote service\$1) AND ((chang\$3   switch\$3) NEAR state\$1) AND (transfer\$4   transmit\$4   send\$3) AND address AND network AND (prox\$3   front\$1end   gateway\$1   connection   router\$1   border) AND server AND stor\$3 AND client AND (authenticat\$3   authoriz\$5   verif\$7) AND (713/153,155,168-170, 182-184.ccls.   726/2,3,11,12,16,17,21,26, 27.ccls.   380/59.ccls.) AND (@pd<"20040302"   @ad<"20040302"   @prad<"20040302"   @rlad<"20040302")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 17:09
S65	4	"7350229".pn.   "7069433".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/03 14:53